

WOOD DOORS

Handcrafted Wood Carriage Style Garage Doors



HERITAGE CLASSIC™

Handcrafted by skilled artisans from select woods such as cedar, tight knot cedar, redwoods, knotty alder, VG fir, meranti, and other fine woods, the Heritage Classic™ is one of finest carriage house style garage doors Hörmann offers. The distinctive carriage house look makes it easy to match doors on a detached garage or barn with doors on your home.


Although they resemble old-fashioned swing doors, Heritage Classic[™] garage doors are constructed with completely modern materials. Unique features include heavy-duty wood frame, 3-section design, custom arches water break at the base of the door, and commercial grade industrial hardware.

The C Series has an overall thickness of 2-7/8". The C Series includes a T & G wood overlay (western red cedar or meranti) applied vertically to the door using marine grade urethane adhesive and toe nailed with stainless steel fasteners. Sectional / Overhead opening using automatic opening hardware that functions like a conventional roll-up garage door, is standard. For a traditional barn door look, Bi-Parting and One-Piece opening are options. With the Bi-Parting opening, one or both doors swing or slide open manually (operational hardware is by others). The One-Piece opening option is usually used as a manually operated sliding door (operational hardware is by others) but may be specified as a solid, one-piece automatic vertical lift door.


Durable and long-lasting, the distinctive look of the Heritage Classic[™] will enhance the appeal of your home for many years to come.



E Series




Overall Thickness, Nominal 2-1/4"




A - Heavy-Duty nominal 1-1/8" thick Hem/Fir frame

- B Nominal 1-1/8" Polystyrene (EPS) insulation
- C Tongue & Groove section joints
- D (Back) Nominal 1/4" exterior grade plywood pressure laminated to frame with waterproof contact adhesive (Luan standard)
- * E (Front) Nominal 1/4" exterior grade plywood pressure laminated to frame with waterproof contact adhesive (Luan standard)
- ** F (C-Series Only) 1x6 T&G wood applied vertically to the door face using Marine Grade urethane adhesive and toe nailed with stainless steel fasteners. (Western Red Cedar or Meranti standard)
- *** G Nominal 5/8" wood overlay, relief cut to resist twisting or warping then adhered to the door face with waterproof adhesive and stainless steel pin nails. Pin nail holes are filled with putty and sanded smooth on paint grade doors, stain grade doors are not filled. (Western Red Cedar or Meranti standard)
 - 7° taper on overlay at section joints
 - H -Nominal 3/8" removable wood window stop (material to match overlay material)




- ** Note: Optional 1x4, 1x8 T&G VG Fir, Tight Knot Cedar, 1/2" Extira® exterior wood composite plus other optional woods
- *** Note: Optional VG Fir, Tight Knot Cedar, 1/2" Extira® exterior wood composite plus other optional woods

C Series



Overall Thickness, Nominal 2-7/8"



Door Types & Configurations


Overlay Profiles

Standard overlay sizes: Top Rail and End Stiles, 1x6 (5-1/2" finished), Bottom and Intermediate Rail, 1x8 (7-1/2" finished). Four overlay profiles are available:

- Square Edge
- Eased Edge
- Bevel Edge, 30-35°
- Chamfer Edge, 3/8" x 3/8" 45°

Note: Full Chamfer and Partial Chamfer available.

Partial Chamfer is help back 2" from corners.



Door Arches







Double Car Door, Two 15'-0" Radius Arches (Standard)



Double Car Door, 58'-0" Radius Arch



C-Series Face Material Sizes, Profiles and Configurations - 1x6 V-Groove T&G Shown

T&G Face Material, is available in 1x4,1x6 (Standard) or 1x8, in 4 profiles and applied in 6 various configurations.





Vertical (Standard)




Horizontal



Diagonal A Pattern, 45°



Diagonal V Pattern, 45°










Herringbone V Pattern, 45°




Door Design Options


C Series "0" Designs




C Series "1" Designs



C Series "2" Designs




C Series "3" Designs




Door Design Options


C Series "X" Designs



C Series "A" Designs




C Series "V" Designs








E Series "0" Designs




E Series "1" Designs




Door Design Options

E Series "2" Designs




E Series "3" Designs






Door Design Options

E Series "X" Designs




E Series "A" Designs



Door Design Options


E Series "V" Designs








C Series Barn Door Designs




Door Design Options

C Series Barn Door Designs





E Series Barn Door Designs





SIX PRODUCTION PLANTS, ONE FAMILY

As one of the world's leading manufacturers of door systems, we're committed to providing the best quality, value, and selection. Whether residential, commercial or industrial, we have the solutions you're looking for. Each Hörmann product gives you the perfect array of benefits and options to satisfy your customers.











USA

Toll Free: 800.365.3667 Email: info@hormann.us Website: hormann.us

Canada

Toll Free: 866.792.9968 Email: info@hormann.ca Website: hormann.ca

Mexico

Toll Free: 52 (81) 8308 7481 Email: info@hormann.com.mx Website: hormann.mx




























Follow us on social media







